



Turn to the experts

2025 PURON ADVANCE™ PRODUCT ROADMAPS

Puron
ADVANCE™

AIR CONDITIONER ROADMAP

Puron®

Puron Advance™

INFINITY® SYSTEM



24VNA6

Up to 26.0 SEER2
Variable-Speed

24VNA9

Up to 19.0 SEER2
Five-Stage

No Puron Advance
conversion - use
27VNA3 Heat Pump
as an alternative.

26VNA1

Up to 21.0 SEER2
Variable-Speed



Performance® SERIES



24TP(A/B)7

Up to 17.5 SEER2
Two-Stage
Includes Coastal Model

24SPA6

Up to 16.5 SEER2
Single-Stage

26TPA8

Up to 18.0 SEER2
Two-Stage
IntelliSense Technology
Includes Coastal Model

26SPA6

Up to 16.5 SEER2
Single-Stage
IntelliSense Technology



Comfort® SERIES



34SCA5

At 14.3 SEER2
(under 45k BTU)
At 13.8 SEER2
(over 45k BTU)
Single-Stage
Horizontal Discharge

24SCA5

At 14.3 SEER2
(under 45k BTU)
At 13.8 SEER2
(over 45k BTU)
Single-Stage
Includes Coastal Model

24SCA4

At 13.4 SEER2
Single-Stage

No Puron Advance
conversion - use
37MURA/37MUHA
as an alternative

26SCA5

At 14.3 SEER2
(under 45k BTU)
At 13.8 SEER2
(over 45k BTU)
Single-Stage
Includes Coastal Model

26SCA4

At 13.4 SEER2
Single-Stage



Air Conditioners	1	2	3	4	5	6	7 - 8	9	10	11	12
Title	Airflow Type	Refrigerant Type	Design Type	Tier	Major Series	Efficiency	Nominal Cooling Capacity	Region	Feature	Special Feature	Voltage
Product #/Letter	2	6	S	C	A	4	36	W	0	0	3
Descriptions	2 = Vertical Discharge 3 = Horizontal Discharge	6 = Puron Advance	S = Single-Stage T = Two-Stage V = Variable-Speed	C = Comfort P = Performance N = Infinity	A - Z	4 = North Compliant 5 = Southwest Compliant 6 = 16.0 SEER2 7 = 17.0 SEER2 8 = 18.0 SEER2 9 = 19.0 SEER2 0 = 20.0 SEER2 1 = 21.0 SEER2 2 = 22.0 SEER2	18 = 1.5 tons 24/25 = 2 tons 30 = 2.5 tons 36/37 = 3 tons 42/43 = 3.5 tons 48/49 = 4 tons 60/61 = 5 tons	E = Std SE N = Std North W = Std SW	0 = Standard C = Coastal	0 = Standard	3 = 208-230-1 or 208/230-1 5 = 208-230-3 or 208/230-3 6 = 460-3 7 = 230-1-50 9 = 400-3-50 1 = 575-3

AIR CONDITIONER ROADMAP

- RESIDENTIAL NEW CONSTRUCTION -

Puron®

Puron Advance™

Builder

GA7TAN4

Up to 17.5 SEER2
Two-Stage



GA5SAN4

At 14.3 SEER2
(under 45k BTU)
At 13.8 SEER2
(over 45k BTU)
Single-Stage

GA4SAN4

At 13.4 SEER2
Single-Stage

GA8TAN5

Up to 18.0 SEER2
Two-Stage

GA5SAN5

At 14.3 SEER2
(under 45k BTU)
At 13.8 SEER2
(over 45k BTU)
Single-Stage

GA4SAN5

At 13.4 SEER2
Single-Stage



3-Phase Comfort

24ABB3

At 13.0 SEER
Single-Stage



26SCA4

At 13.4 SEER2
Single-Stage



3-Phase Builder

CA16(P/E)

At 16.0 SEER
Single-Stage



No Puron Advance conversion -
use GH8T 3-phase heat pump
as an alternative

Builder Air Conditioners	1	2	3	4	5	6	7	8 - 9	10	11	12
Title	Brand	Product Type	Efficiency	Design Type	Major Series	Voltage	Refrigerant Type	Nominal Cooling Capacity	Feature	Special Feature	Region
Product #/Letter	G	A	5	S	A	N	5	36	0	0	W
Descriptions	G= Builder	A = AC	4 = North Compliant 5 = Southwest Compliant 6 = 16.0 SEER2 7 = 17.0 SEER2 8 = 18.0 SEER2 9 = 19.0 SEER2 0 = 20.0 SEER2 1 = 21.0 SEER2 2 = 22.0 SEER2	S = Single-Stage T = Two-Stage	A - Z	N = 208-230-1 or 208/230-1 P = 208-230-3 or 208/230-3 E = 460-3 S = 575-3	5 = Puron Advance	18 = 1.5 tons 24/25 = 2 tons 30 = 2.5 tons 36/37 = 3 tons 42/43 = 3.5 tons 48/49 = 4 tons 60/61 = 5 tons	0= Standard	0= Standard	E = Std SE N = Std North W = Std SW

HEAT PUMP ROADMAP

Puron®

Puron Advance™

INFINITY® SYSTEM

NEW



25VNA4

Up to 22.0 SEER2
Variable-Speed

25VNA8

Up to 18.0 SEER2
Five-Stage

27VNA1

Up to 21.0 SEER2
Cold Climate Heat Pump
Variable-Speed

27VNA3

Up to 23.0 SEER2
Variable-Speed

27VNA0

Up to 20.0 SEER2
Variable-Speed



Performance® SERIES



25TP(A/B)7

Up to 17.5 SEER2
Two-Stage
Includes Coastal Model

25SPA5

Up to 16.0 SEER2
Single-Stage



38MURAAQ**AB3

Up to 20.0 SEER2
Variable-Speed

38MURAAQ**AA3

Up to 17.0 SEER2
Variable-Speed

27TPA8

Up to 18.0 SEER2
Two-Stage
IntelliSense Technology
Includes Coastal Model

27SPA6

Up to 16.0 SEER2
Single-Stage
IntelliSense Technology

37MUHAQ

Up to 20.0 SEER2
Variable-Speed



Comfort® SERIES

37MURAAQ

Up to 18.0 SEER2
Variable-Speed



27SCA5

Up to 16.0 SEER2
Single-Stage
Includes Coastal Model



25SCA5

Up to 15.2 SEER2
Single-Stage
Includes Coastal Model

Heat Pumps	1	2	3	4	5	6	7 - 8	9	10	11	12
Title	Airflow Type	Refrigerant Type	Design Type	Tier	Major Series	Efficiency	Nominal Cooling Capacity	Region	Feature	Special Feature	Voltage
Product #/Letter	2	7	T	P	A	8	36	A	0	0	3
Descriptions	2 = Vertical Discharge 3 = Horizontal Discharge	7 = Puron Advance	S = Single-Stage T = Two-Stage V = Variable-Speed	C = Comfort P = Performance N = Infinity	A - Z	5 = National Compliant 6 = 16.0 SEER2 7 = 17.0 SEER2 8 = 18.0 SEER2 9 = 19.0 SEER2 0 = 20.0 SEER2 1 = 21.0 SEER2 2 = 22.0 SEER2 3 = 23.0 SEER2	18 = 1.5 tons 24/25 = 2 tons 30 = 2.5 tons 36/37 = 3 tons 42/43 = 3.5 tons 48/49 = 4 tons 54 = 4.5 (CCHP) 60/61 = 5 tons	A = Std HP	0 = Standard C = Coastal	0 = Standard	3 = 208-230-1 or 208/230-1 5 = 208-230-3 or 208/230-3 6 = 460-3 7 = 230-1-50 9 = 400-3-50 1 = 575-3

HEAT PUMP ROADMAP

- RESIDENTIAL NEW CONSTRUCTION -

Puron®

Puron Advance™

Builder



GH7TAN4

Up to 17.5 SEER2
Two-Stage

GH5SAN4

At 14.3 SEER2
Single-Stage

GH8TAN5

Up to 18.0 SEER2
Two-Stage
3-Phase Models Available

GH5SAN5

At 14.3 SEER2
Single-Stage



3-Phase Performance



25HPB6

Up to 16.0 SEER
Single-Stage

No Puron Advance conversion -
use GH8T 3-phase heat pump
as an alternative

3-Phase Comfort



25HCE4

At 14.0 SEER
Single-Stage

27SCA5

At 14.3 SEER2
Single-Stage



Builder Heat Pumps	1	2	3	4	5	6	7	8 - 9	10	11	12
Title	Brand	Product Type	Efficiency	Design Type	Major Series	Voltage	Refrigerant Type	Nominal Cooling Capacity	Feature	Special Feature	Region
Product #/Letter	G	H	8	T	A	N	5	36	0	0	A
Descriptions	G = Builder	H = HP	5 = National Compliant 6 = 16.0 SEER2 7 = 17.0 SEER2 8 = 18.0 SEER2 9 = 19.0 SEER2 0 = 20.0 SEER2 1 = 21.0 SEER2 2 = 22.0 SEER2	S = Single-Stage T = Two-Stage	A - Z	N = 208-230-1 or 208/230-1 P = 208-230-3 or 208/230-3 E = 460-3 S = 575-3	5 = Puron Advance	18 = 1.5 tons 24/25 = 2 tons 30 = 2.5 tons 36/37 = 3 tons 42/43 = 3.5 tons 48/49 = 4 tons 60/61 = 5 tons	0 = Standard	0 = Standard	A = Std HP


Crossover - Outdoor Units	1	2	3 - 4	5	6	7	8 - 9	10	11	12
Title	Product	Refrigerant	Model Type	Major Series	Unit Type	Nominal Capacity (BTUH)	# of Indoor Units	Variation	Electrical	
Product #/Letter	3	7	MU	R	A	Q	36	A	A	3
Descriptions	3 = Horizontal Discharge	7 = Puron Advance	MU = Unitary	R = Entry-Tier H = Mid-Tier	A - Z	Q = Heat Pump C = Cooling Only	18/19 = 18,000 24/25 = 24,000 30/31 = 30,000 36/37 = 36,000 42/43 = 42,000 48/49 = 48,000 60/61 = 60,000	X = 0 A = 1 B = 2 C = 3 D = 4 E = 5	A - Z	1 = 115/1/60 3 = 208-230/1/60

FAN COIL ROADMAP

Puron®

Puron Advance™

INFINITY® SYSTEM




FE4B
Variable-Speed
VCA Motor



FE5B
Variable-Speed
VCA Motor

Performance™ SERIES



FT4B
Two-Stage
VCA Motor
InteliSense Technology



FT5
Two-Stage
VCA Motor
InteliSense Technology

Comfort™ SERIES



FJ4D
Single-Stage
FCT-5 Motor



FJ5
Single-Stage
FCT-5 Motor

Builder



FG4
Two-Stage
VCA Motor



FG5
Two-Stage
VCA Motor

Fan Coils	1	2	3	4	5	6	7	8 - 9	10	11 - 12
Title	Product	Type/ Tier	Refrigerant Type	Major Series	Electrical	Cabinet/ Expansion Device	Cabinet Width	Nominal Cooling Capacity	Coil Type	Electric Heater Size
Product #/Letter	F	E	5	B	N	X	B	42	L	00
Descriptions	F = Fan Coil	E = Infinity® Series T = Performance™ Series J = Comfort™ Series G = Builder	5 = Puron Advance	A - Z	N = 208/230v-1ph - 60hz	B = 2-piece, TXV X = 1-piece, TXV	A = 14" B = 17" C = 21" D = 24"	18 = 18,000 24 = 24,000 30 = 30,000 36 = 36,000 42 = 42,000 48 = 48,000 60 = 60,000	L = Aluminum	00 = No heat 05 = 5kW 08 = 8kW 10 = 10kW 15 = 15kW ## = kW size

Motor Key: VCA = Variable-Speed Constant Airflow | ECM = Electronic Commutating Motor | FCT = Fixed-Speed Constant Torque | PSC = Permanent Split Capacitor

FAN COIL ROADMAP

- MULTIFAMILY and CROSSOVER -

Puron®

Puron Advance™

Multifamily



FMA4X

Single-Stage
FCT-5 Motor

FMA4P

Single-Stage
PSC Motor

FM(C/U)4Z

Single-Stage
FCT-5 Motor

FM(C/U)4X

Single-Stage
PSC Motor

FMA5X

Single-Stage
FCT-5 Motor

FMA5L

Single-Stage
PSC Motor

FM(C/U)5Z

Single-Stage
FCT-5 Motor

FM(C/U)5X

Single-Stage
PSC Motor



Crossover



40MUAHQ

Performance Series
Multi-Speed
ECM Motor

NEW

45MUHAQ*

Performance Series
Multi-Speed
ECM Motor

45MUAHQ*

Comfort Series
Multi-Speed
ECM Motor



* This coil is to be used with the 37MUHAQ and 37MURAQ heat pumps only.

Multifamily Fan Coils	1	2	3	4	5	6 - 7	8 - 9	10	11
Title	Unit	Type	Installation Type	Refrigerant	Metering Device	Nominal Capacity (BTUH)	Electric Heater Size	Revision	Sales Code/ Features
Product #/Letter	F	M	U	5	Z	18	00	A	L
Descriptions	F = Fan Coil	M = Multifamily	U = Uncased ¹ C = Cased ¹ A = Apartment ²	5 = Puron Advance	X = TXV & PSC Motor ¹ Z = TXV & ECM Motor ¹ L = TXV & PSC Motor ² X = TXV & ECM Motor ²	18 = 18,000 = 1.5 tons 24 = 24,000 = 2 tons 30 = 30,000 = 2.5 tons 36 = 36,000 = 3 tons	00 = No Heat ^{1,2} 05 = 5kW ² 08 = 7.5kW ² 10 = 10kW ² ## = kW size	A = Mktg Revision	L = Aluminum Coils

¹ Ceiling Mount model ² Wall Mount model

Crossover - Indoor Units	1	2	3 - 4	5	6	7	8 - 9	10	11	12
Title	Product	Refrigerant	Model Type		Major Series	Unit Type	Nominal Capacity (BTUH)	Not Used	Variation	Electrical
Product #/Letter	4	5	MU	A	A	Q	36	X	X	3
Descriptions	4 = Indoor Unit	5 = Puron Advance	MU = Unitary	L = Coil A = Entry-Tier Air Handler H = Mid-Tier Air Handler	A - Z	Q = Heat Pump C = Cooling Only	18/19 = 18,000 24/25 = 24,000 30/31 = 30,000 36/37 = 36,000 42/43 = 42,000 48/49 = 48,000 60/61 = 60,000		A - Z	1 = 115/1/60 3 = 208-230/1/60

SMALL PACKAGED PRODUCTS ROADMAP

Puron®

Puron Advance™

**Performance™
SERIES**



48VG
Year-Round Air Conditioner
Two-Stage Operation

50VG
Packaged Air Conditioner
Two-Stage Operation

48VR
Dual-Fuel
Two-Stage Operation

50VR
Packaged Heat Pump
Two-Stage Operation

48NG
Year-Round Air Conditioner
Two-Stage Operation

48NR
Dual-Fuel
Two-Stage Operation

50NR
Packaged Heat Pump
Two-Stage Operation



Note: All Performance Series models meet or exceed 15.2 SEER2.

**Comfort™
SERIES**



48VL
Year-Round Air Conditioner
Single-Stage Operation

50VL
Packaged Air Conditioner
Single-Stage Operation

48VT
Dual-Fuel
Single-Stage Operation

50VT
Packaged Heat Pump
Single-Stage Operation

48NL
Year-Round Air Conditioner
Single-Stage Operation

50NL
Packaged Air Conditioner
Single-Stage Operation

48NT
Dual-Fuel
Single-Stage Operation

50NT
Packaged Heat Pump
Single-Stage Operation



Note: All Comfort Series models meet or exceed 13.4 SEER2.

Manufactured Housing



50ZP
Packaged Air Conditioner
Single-Stage Operation

50ZH
Packaged Heat Pump
Single-Stage Operation

50NP
Packaged Air Conditioner
Single-Stage Operation

50NH
Packaged Heat Pump
Single-Stage Operation



Small Packaged Products (G-Chassis)		1 - 2 - 3 - 4	5	6	7 - 8	9 - 10 - 11	12	13
Title	Unit Family/Type		Low NOx	Major Series	Cooling Capacity	Heating Size	Voltage	Minor Series
Product #/Letter	50NT		-	B	36	---	3	A
Description	50NT = Package HP 48NT = Package Dual-Fuel 50NL = Package AC 48NL = Packaged Year-Round AC 50NR = Two-Stage HP 48NR = Two-Stage Dual-Fuel 48NG = Two-Stage Year-Round AC		-- = Standard NOx N = Low NOx U = Ultra-Low NOx	A - Z	24 = 2 Ton 30 = 2.5 Ton 36 = 3 Ton 42 = 3.5 Ton 48 = 4 Ton 60 = 5 Ton	--- = No Gas Heat 040 = 40K BTU 060 = 60K BTU 090 = 90K BTU 115 = 115K BTU 130 = 130K BTU	3 = 208/230-1ph 5 = 208/230-3ph 6 = 460-3ph	A - Z

Small Packaged Products (MH Chassis)		1 - 2 - 3 - 4	5	6 - 7	8 - 9 - 10	11	12
Title	Unit Family/Type		Major Series	Cooling Capacity	Heating Size	Voltage	Minor Series
Product #/Letter	50NP		B	024	---	3	A
Description	50NP = Dedicated Horizontal Packaged AC 50NH = Dedicated Horizontal Packaged HP		A - Z	024 = 2 Ton 030 = 2.5 Ton 036 = 3 Ton 042 = 3.5 Ton 048 = 4 Ton 060 = 5 Ton	--- = No Gas Heat	3 = 208/230-1ph	A - Z

SMALL PACKAGED PRODUCTS ROADMAP

- LOW NOx and ULTRA-LOW NOx -

Puron®

Puron Advance™

Low NOx

**Performance[®]
SERIES**



48VG

Year-Round Air Conditioner
Two-Stage Operation

48VR

Dual-Fuel
Two-Stage Operation

48NG

Year-Round Air Conditioner
Two-Stage Operation

48NR

Dual-Fuel
Two-Stage Operation



48VL

Year-Round Air Conditioner
Single-Stage Operation

48VT

Dual-Fuel
Single-Stage Operation

48NL

Year-Round Air Conditioner
Single-Stage Operation

48NT

Dual-Fuel
Single-Stage Operation



**Comfort[™]
SERIES**

Ultra-Low NOx

**Performance[®]
SERIES**



48VG

Year-Round Air Conditioner
Two-Stage Cooling
Single-Stage Heating

48NG

Year-Round Air Conditioner
Two-Stage Cooling
Single-Stage Heating



48VL

Year-Round Air Conditioner
Single-Stage Operation

48NL

Year-Round Air Conditioner
Single-Stage Operation



**Comfort[™]
SERIES**

FURNACE COIL ROADMAP

Puron®

Puron Advance™

A-Coils



CAPVU

Uncased Vertical

CAPMP

Cased Multi-Poise

CAAVU

Uncased Vertical

CAAMP

Cased Multi-Poise



N-Coil



CNPVP

Cased Vertical

No Puron Advance Conversion

Slab Coil



CSPHP

Cased Horizontal

CSAHP

Cased Horizontal



V-Coils



CVPVA

Cased Vertical
Vertex™ Technology

CVPMA

Cased Multi-Poise
Vertex™ Technology



CVAVA

Cased Vertical
Vertex™ Technology

CVAMA

Cased Multi-Poise
Vertex™ Technology



Crossover

40MULAQ

Multi-Poise

45MULAQ*

Multi-Poise

* This coil is to be used with 37MUHAQ and 37MURAQ heat pumps only.

Furnace Coils										
	1	2	3	4	5	6 - 7	8 - 9	10	11	12
Title	Component	Coil Type	Refrigerant Type	Coil Configuration	Cabinet Finish	Unit Capacity (BTUH)	Cabinet Width	Major Series	Included Equipment	Variations
Product #/Letter	C	A	A	M	P	36	17	A	M	A
Descriptions	C = Evap Coil	A = A-Coil S = Slab Coil	A = Puron Advance	H = Horizontal M = Multi-Poise V = Vertical (UPFL/DNFL) U = Uncased	P = Painted Cabinet U = Unpainted/ Uncased	18-23 = 18,000 24-29 = 24,000 30-35 = 30,000 36-41 = 36,000 42-47 = 42,000 48-51 = 48,000 60+ = 60,000	12 = 11.8" 14 = 14.5" 17 = 17.5" 21 = 21" 24 = 24.5"	A = Revision	M = w/Dissipation System R = Replacement	A = Blank

Vertex Coils										
	1	2	3	4	5	6 - 7	8 - 9	10	11	12
Title	Component	Coil Type	Refrigerant Type	Coil Configuration	Major Series	Unit Capacity (BTUH)	Cabinet Width	Metering Device	Included Equipment	Variations
Product #/Letter	C	V	A	V	A	36	17	X	M	A
Descriptions	C = Evap Coil	V = V-Coil	A = Puron Advance	V = Cased Vertical Upflow/Downflow M = Cased Multi-Poise	A = Original Release B = 2nd Release, etc.	18-23 = 18,000 24-29 = 24,000 30-35 = 30,000 36-41 = 36,000 42-47 = 42,000 48-51 = 48,000 60+ = 60,000	12 = 11.8" 14 = 14.5" 17 = 17.5" 21 = 21" 24 = 24.5"	X = TXV	M = Micro-Channel w/Dissipation System R = Replacement	A = Blank

Crossover - Indoor Units										
	1	2	3 - 4	5	6	7	8 - 9	10	11	12
Title	Product	Refrigerant	Model Type		Major Series	Unit Type	Nominal Capacity (BTUH)	Not Used	Variation	Electrical
Product #/Letter	4	5	MU	A	A	Q	36	X	X	3
Descriptions	4 = Indoor Unit	5 = Puron Advance	MU = Unitary	L = Coil A = Entry-Tier Air Handler H = Mid-Tier Air Handler	A - Z	Q = Heat Pump C = Cooling Only	18/19 = 18,000 24/25 = 24,000 30/31 = 30,000 36/37 = 36,000 42/43 = 42,000 48/49 = 48,000 60/61 = 60,000		A - Z	1 = 115/1/60 3 = 208-230/1/60

GEO THERMAL ROADMAP

Puron®

Puron Advance™

INFINITY® SYSTEM



GC
VCA Motor
Two-Stage Operation

GCA
VCA Motor
Two-Stage Operation



GZ
Split Water to Air
Two-Stage Operation

GZ*SA**
Split Water to Air
Two-Stage Operation



Performance® SERIES



GP
VCA Motor
Two-Stage Operation

TBA in 2025



GW
Split Water-to-Water
Two-Stage Operation

GW*WA**
Split Water-to-Water
Two-Stage Operation



Comfort® SERIES



GB
VCA Motor
Single-Stage Operation

GBA
VCA Motor
Two-Stage Operation



Geothermal - Packaged Product	1	2	3	4 - 5	6	7	8	9	10	11	12	13	14
Title	Product	Tier	Refrigerant Type	Nominal Cooling Capacity	Cabinet Configuration	Discharge Air Configuration	Return Air Configuration	Coaxial Options	Hot Water Options	Fan Motor Options	Air Coil Coating	Voltage	Dissipation System
Product #/ Letter	G	B	A	36	V	T	L	C	D	C	C	1	D
Description	G = Geothermal	B = Comfort V = Performance C = Infinity	A = Puron Advance	18 24 30 36 42 48 60 72	V = Vertical H = Horizontal C = Counterflow	T = Top Vert E = End Horiz S = Side Horiz B = Bottom Vert	L = Left Return R = Right Return	C = Copper N = Cupronickel	D = with Desuperheater X = without Desuperheater	C = Multi-Speed Constant Torque (FCT) E = ECM Variable-Speed Constant Air Flow (VCA)	C = Coated Tin Plate T = Tin Plate	1 = 208/230/60/1	D = with Dissipation X = without Dissipation

Geothermal - Split Systems	1	2	3 - 4 - 5	6	7	8	9	10	11	12	13	14
Title	Product	Tier	Nominal Cooling Capacity	Unit Type	Refrigerant Type	Future Use	Coaxial Options	Hot Water Options	Future Use	Air Coil Coating	Voltage	Dissipation System
Product #/ Letter	G	W	036	W	A	X	D	D	X	X	1	D
Description	G = Geothermal	W = Performance Z = Infinity	024 036 048 060 072 120	W = Water-to-Water Split S = Water-to-Air Split	A = Puron Advance	X = None	GW uses: D = Copper G = Cupronickel GZ uses: C = Copper N = Cupronickel	D = with Desuperheater X = without Desuperheater	X = None	X = No Air Coil	1 = 208/230/60/1	D = with Dissipation X = without Dissipation

DUCTLESS ROADMAP

Puron®

Puron Advance™

INFINITY[®] SYSTEM

38MPRBQ

Single Zone
Heat Pump

40MPHBQ

High Wall

37MPRAQ

Single Zone
Heat Pump

45MPHAQ

High Wall

37MAHAQ


Single Zone
Heat Pump

37MGHAQ

Multi-Zone
Heat Pump

37MBHAQ

Light Commercial Heat Pump



38MARBQ

Single Zone
Heat Pump

38MGHBQ

Multi-Zone
Heat Pump

38MGRBQ

Multi-Zone
Heat Pump

38MBRCQ

Light Commercial
Heat Pump

Performance
SERIES

NEW

37MGRAQ

Multi-Zone
Heat Pump

37MBRAQ

Light Commercial
Heat Pump

37MARAQ

Single Zone
Heat Pump

40MAHBQ

High Wall

40MCCAQ

1-Way Cassette

40MBCQ

4-Way Cassette

40MBCAQ

4-Way Cassette

40MBFAQ

Floor Console

40MBFQ

Console - Ceiling/Floor

40MBDQ

Slim Duct

40MBDAQ

Slim Duct - High Static

40MBABQ

Air Handler

45MAHAQ

High Wall

45MCCAQ

1-Way Cassette

45MBCAQ

4-Way Cassette

45MBFAQ

Floor Console

45MCFAQ

Console - Ceiling/Floor

45MBDAQ

Slim Duct
Standard and High Static

45MBAAQ

Air Handler

DUCTLESS ROADMAP

Puron®

Puron Advance™

Comfort SERIES

38MHRCQ

Single Zone
Heat Pump

40MHHAQ

High Wall

38MHRDC

Single Zone-
Cooling Only

40MHHAC

High Wall -
Cooling Only

37MHRAQ

Single Zone
Heat Pump

45MHHAQ

High Wall

37MHRAC

Single Zone-
Cooling Only Heat Pump

45MHHAC

High Wall -
Cooling Only

Value

38MVRAQ

Single Zone
Heat Pump

DHMHVHAQ

High Wall

38MTRAQ

Multi-Zone
Heat Pump

37MVRAQ

Single Zone
Heat Pump

D5MHVHAQ

High Wall

37MTRAQ

Multi-Zone
Heat Pump

Ductless - Outdoor Units	1	2	3 - 4 - 5	6	7	8 - 9	10	11	12
Title	Product	Refrigerant	Model Type	Major Series	Unit Type	Nominal Capacity (BTUH)	# of Indoor Units	Variation	Electrical
Product #/Letter	3	7	MAR	A	Q	36	A	A	3
Descriptions	3 = Horizontal Discharge	7 = Puron Advance	MAH MAR MBH MBR MGH MGR MHR MPR MTR MVR	A - Z	Q = Heat Pump C = Cooling Only	18/19 = 18,000 24/25 = 24,000 30/31 = 30,000 36/37 = 36,000 42/43 = 42,000 48/49 = 48,000 60/61 = 60,000	X = 0 A = 1 B = 2 C = 3 D = 4 E = 5	A - Z	1 = 115/1/60 3 = 208-230/1/60

Ductless - Indoor Units	1	2	3 - 4	5	6	7	8 - 9	10	11	12
Title	Product	Refrigerant	Model Type	Indoor Type	Major Series	Unit Type	Nominal Capacity (BTUH)	# of Indoor Units	Variation	Electrical
Product #/Letter	4	5	MC	C	A	Q	36	X	X	3
Descriptions	4 = Indoor Unit	5 = Puron Advance	MA MB MC MH MP	A = Air Handler C = Cassette D = Ducted F = Console H = High Wall	A - Z	Q = Heat Pump C = Cooling Only	18/19 = 18,000 24/25 = 24,000 30/31 = 30,000 36/37 = 36,000 42/43 = 42,000 48/49 = 48,000 60/61 = 60,000	X = 0		1 = 115/1/60 3 = 208-230/1/60

CROSSOVER ROADMAP

Puron®

Puron Advance™

Performance SERIES

38MURAQAB3**
High-Heat Heat Pump

40MULAQ
Coil

38MURAQAA3**
Standard Heat
Heat Pump

40MUAAQ
Air Handler

NEW

37MUHAQ
Variable-Speed
Heat Pump

45MULAQ*
Coil

45MUHAQ*
Air Handler



Comfort SERIES

37MURAQ
Heat Pump

45MUAAQ*
Air Handler



* This coil is to be used with the 37MUHAQ and 37MURAQ heat pumps only.

Crossover - Outdoor Units	1	2	3 - 4	5	6	7	8 - 9	10	11	12
Title	Product	Refrigerant	Model Type	Major Series	Unit Type	Nominal Capacity (BTUH)	# of Indoor Units	Variation	Electrical	
Product #/Letter	3	7	MU	R	A	Q	36	A	A	3
Descriptions	3 = Horizontal Discharge	7 = Puron Advance	MU = Unitary	R = Entry-Tier H = Mid-Tier	A - Z	Q = Heat Pump C = Cooling Only	18/19 = 18,000 24/25 = 24,000 30/31 = 30,000 36/37 = 36,000 42/43 = 42,000 48/49 = 48,000 60/61 = 60,000	X = 0 A = 1 B = 2 C = 3 D = 4 E = 5	A - Z	1 = 115/1/60 3 = 208-230/1/60

Crossover - Indoor Units	1	2	3 - 4	5	6	7	8 - 9	10	11	12
Title	Product	Refrigerant	Model Type	Major Series	Unit Type	Nominal Capacity (BTUH)	Not Used	Variation	Electrical	
Product #/Letter	4	5	MU	A	A	Q	36	X	X	3
Descriptions	4 = Indoor Unit	5 = Puron Advance	MU = Unitary	L = Coil A = Entry-Tier Air Handler H = Mid-Tier Air Handler	A - Z	Q = Heat Pump C = Cooling Only	18/19 = 18,000 24/25 = 24,000 30/31 = 30,000 36/37 = 36,000 42/43 = 42,000 48/49 = 48,000 60/61 = 60,000		A - Z	1 = 115/1/60 3 = 208-230/1/60

MINI-VRF ROADMAP

Puron®

Puron Advance™


Outdoor Units

38VMH-1P

Single Phase
Heat Pump

37VMH-1P

Single Phase
Heat Pump



Indoor Units

40VMV

Vertical AHU

45VMV

Vertical AHU

40VMC

Compact
4-Way Cassette

45VMC

Compact
4-Way Cassette

40VMF

4-Way Cassette

45VMF

4-Way Cassette

40VMW

High Wall

45VMW

High Wall

40VML

Low Static
Ducted Unit

45VML


Low Static
Ducted Unit

40VMM

Medium Static
Ducted Unit

45VMM

Medium Static
Ducted Unit



40VMI

1-Way Cassette

40VMR

Recessed
Console Unit

40VMU

Underceiling /
Console Unit

40VMH

High Static
Ducted Unit

40VMW

High Wall

40VMV

Vertical AHU

40VMA

Outside Air Unit

40VMZ

Reheat Unit

TBA

Winter 2025

VRF Outdoor	1 - 2	3 - 4	5	6 - 7 - 8	9	10	11	12	13	14
Title	Product	Product Type	Revision Number	Nominal Capacity	System Type	Variations	Cabinet Type	Voltage	Blank	Packaging
Product #/Letter	37	VM	A	036	H	D	S	3	-	3
Descriptions	37 = Outdoor Unit	VM = VRF	A = No Revision B = Design Revision	036 = 3 ton 048 = 4 ton 060 = 5 ton	H = Heat Pump	D = Domestic	S = Standard	3 = 208/230-1-60		3 = USA & Canada

VRF Indoor	1 - 2	3 - 4	5	6 - 7 - 8	9	10	11	12
Title	Product	Product Type	Model Number Modifier	Nominal Capacity	Revision Number	Undefined Placeholder	Undefined Placeholder	Voltage
Product #/Letter	45	VM	F	030	A	-	-	3
Descriptions	45 = Indoor Unit	VM = VRF	A = Outside Air C = Compact 4-Way Cassette D = Multiport Distribution Controller F = 4-Way Cassette H = High Static Ducted Unit I = 1-Way Cassette L = Low Static Ducted Unit M = Medium Static Ducted Unit R = Floor Console (Recessed) U = Underceiling / Floor Console V = Vertical AHU W = High Wall Z = Reheat Unit	005 = 5000 007 = 7000 009 = 9000 012 = 12000 015 = 15000 018 = 18000 024 = 24000 030 = 30000 036 = 36000 048 = 48000 054 = 54000 060 = 60000 072 = 72000 096 = 96000	- = No Revision A = Design Revision B = Design Revision	- = Undefined	- = Undefined	3 = 208/230-1-60

TOSHIBA CARRIER MINI-VRF ROADMAP

Puron®

Puron Advance™

Outdoor Units

MCY-MAP*7HS-UL**

Mini VRF Heat Pump

MCY-MUB-*8HS2P-UL**

Mini VRF Heat Pump



Indoor Units

MMK-UP*1HP-UL**

High Wall

MMK-UB*1HP-UL**

High Wall

MMU-UP*1YHP-UL**

1-Way Cassette

MMU-UB*1YHP-UL**

1-Way Cassette

MMD-UP*1MHP-UL**

4-Way Cassette - Compact

MMU-UB*1MHP-UL**

4-Way Cassette - Compact

MMU-UP*1HP-UL**

4-Way Cassette

MMU-UB*1HP-UL**

4-Way Cassette

MMD-UP*1BHP-UL**

Medium Static Slim Duct

MMD-UB*1BHP-UL**

Medium Static Slim Duct

MMD-UP*1VHG-UL**

Vertical Air Handler Unit

MMD-UB*1VHN-UL**

Vertical Air Handler Unit



MMD-UP*1SPH-UL**

Low-Static Slim Duct

MMD-UP*1HP-UL**

High-Static Slim Duct

MMC-UP*1HP-UL**

Underceiling Console

MML-UP*1H-UL**

Floor Console - Exposed

MML-UP*1BH-UL**

Floor Console - Recessed

MMD-UP*1HFP-UL**

Outside Air Unit

**TBA
Winter 2025**

Toshiba Carrier Outdoor	1 - 2 - 3 - 4	5	6	7	8 - 9 - 10	11	12	13	14	15 - 16	17	18-19
Title	ODU Type	Module	System Version	Refrigeration Type	Nominal Capacity	System Type	Model Series	System Type	Configuration	Production Location	Blank	Sales Location
Product #/Letter	MCY-	M	U	B	036	-	8	H	S	2P	-	UL
Descriptions	MCY- = Single Phase Heat Pump	M = Single Module	U = u-Series	B = R-454B	036 = 3 ton 048 = 4 ton 060 = 5 ton	Blank = Standard Mode H = Elite High Heat	1 = Unrevised 2 - 9 = Revision Number	H = Heat Pump	S = Side Blow	Blank = Japan 2P = Thailand	-	UL = USA & Canada

Toshiba Carrier Indoor	1 - 2 - 3	4	5	6	7 - 8 - 9	10	11	12	13	14	15	16 - 17
Title	IDU Type	Blank	IDU Version (Protocol)	Refrigerant Type	Nominal Capacity	Model Series	Identifier	Cooling / Heating IDU Type	Unidentified	Production Location	Blank	Sales Location
Product #/Letter	MMD	-	U	B	024	1	B	H	F	P	-	UL
Descriptions	MMD = Ducted IDU MMC = Underceiling Unit MML = Console Unit MMK = High Wall MMU = Cassette	-	U = u-Series	B = R-454B	005 = 5000 007 = 7000 009 = 9000 012 = 12000 015 = 15000 018 = 18000 024 = 24000 030 = 30000 036 = 36000 048 = 48000 054 = 54000 060 = 60000 072 = 72000 096 = 96000	1 = Unrevised 2 - 9 = Revision Number	V = Vertical AHU S = Low Static Ducted Unit B = Medium Static Ducted Unit Y = 1-Way Cassette (MMU Prefix) M = Compact 4-Way Cassette (MMU Prefix) B = Recessed Console (MML Prefix)	H = Heat Pump Blank = Cooling Only	F = Outside Air Unit Blank = Other IDUs	2 = Japan P = Thailand N = Nanhai (China) G = USA	-	UL = USA & Canada

TOSHIBA CARRIER RAV ROADMAP

Puron®

Puron Advance™

Outdoor Units

RAV*AT2

Heat Pump

RAV*BAT

Heat Pump



Indoor Units

RAV*KR2

High Wall

RAV*BKR2

High Wall



RAV*BT2

Medium Static Slim Duct

RAV*BBT2

Medium Static Slim Duct

RAV*UT2

4-Way Cassette

RAV*BUT2

4-Way Cassette



RAV*CT2

Underceiling

RAV*BCT2

Underceiling

Toshiba Carrier RAV Outdoor	1 - 2 - 3	4	5 - 6	7 - 8 - 9	10	11	12	13	14	15 - 16
Title	Product Series	Undefined	System Version	Nominal Capacity	Unit Type	System Type	Power Supply	Production Location	Undefined	Sales Location
Product #/Letter	RAV	-	BP	241	A	T	2	P	-	UL
Descriptions	RAV = RAV Series Unit		BP = Super Digital Inverter CDU (R-454B)	121 = 1 ton 181 = 1 ton 241 = 1 ton 301 = 1 ton 361 = 1 ton 421 = 1 ton 481 = 1 ton	A = Outdoor Unit	T = Inverter Heat Pump	2 = 208/230 -1-60	2 = Japan P = Thailand		UL = USA & Canada

Toshiba Carrier RAV Indoor	1 - 2 - 3	4	5 - 6	7 - 8 - 9	10	11	12	13	14 - 15
Title	Product Series	Undefined	System Version	Nominal Capacity	Model Series	System Type	Production Location	Blank	Sales Location
Product #/Letter	RAV	-	HB	241	B	T	P	-	UL
Descriptions	RAV = RAV Series Unit		HB = Super Digital Inverter FCU (R-454B)	121 = 1 ton 181 = 1 ton 241 = 1 ton 301 = 1 ton 361 = 1 ton 421 = 1 ton 481 = 1 ton	B = Medium Static Ducted C = Underceiling KR = High Wall U = 4-Way Cassette	T = Inverter Heat Pump	2 = Japan P = Thailand		UL = USA & Canada

NOTES

NOTES



Turn to the experts