



www.mingledorffs.com

INDOOR AIR QUALITY

PRODUCT GUIDE



All information provided in this catalog is for informational purposes only and is subject to change without notice. While we strive for accuracy, we do not guarantee the completeness, reliability, or currentness of the content. Product dimensions and technical data should be verified with the manufacturer or sales team prior to ordering.

TABLE OF CONTENTS

Dexter Platform.....	3-6
Loki Platform.....	7-12
Rhineland Platform.....	13-17
Zues Platform.....	18-23
Portable Platform.....	24-27
Air Movers.....	27

All information provided in this catalog is for informational purposes only and is subject to change without notice. While we strive for accuracy, we do not guarantee the completeness, reliability, or currentness of the content. Product dimensions and technical data should be verified with the manufacturer or sales team prior to ordering.



DEXTER PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST 100, 120V R454B | #4044590 HIGH-EFFICIENCY DEHUMIDIFIER

Re-engineered with a more environmentally friendly refrigerant, R454B, the Quest 100 combines efficiency and sustainability with the versatility and flexibility of its compact footprint. This makes it the perfect dehumidifier for small projects and spaces.



POWERED BY
M-CORR[®]
TECHNOLOGY



FEATURES

- **Plug-N-Play:** No installation needed
- **Patented M-CORR Technology:** This Multi-Coil Refrigeration Recovery technology achieves the highest efficiencies available in the market
- **Onboard Dehumidistat:** Easy digital control featuring self-diagnostics and "Dark Mode" to limit pollution
- Compact Unit
- UL Rated and ETL Listed
- MERV 13 Filtration
- Widest Operating Range
- Auto Restart
- Digital Control
- Precision Control
- Overhead or Ground Placement

SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 280
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 110 – 120 V
- **Unit Dimensions:** 24" L x 16" W x 14.5" H
- **Unit Weight:** 60 lb
- **Control Type:** Onboard digital controls with low voltage terminal block
- **Air Filter MERV Rating:** MERV 13
- **Air Filter Dimensions:** 12" x 14" x 1"
- **Recommended Breaker Size:** 15
- **Power Cord:** NEMA 5-15P (10')
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 1 lb 2 oz
- **Drain Port Connection:** 3/4" Threaded NPT
- **Fans:** Variable speed EC Motor
- **Warranty:** 5 Year Limited

[CALL FOR MORE INFO](#)



DEXTER PLATFORM

[Click for more info on Accessories & Filters](#)

MERV 13 STANDARD PLEAT FILTER | #4042005

MERV-13 provides superior air filtration, 20% more effective than MERV-11 and 65% more effective than MERV-8.

COMPATIBLE PRODUCTS

- Quest 100 (PN 4032270)
- Quest 100 (PN 4044590)
- Quest 100 50 Hz (PN 4046590-XX)

SPECIFICATIONS

- Filter Type: Pleated, MERV 13
- Size: 12" x 14" x 1"

[CALL FOR MORE INFO](#)



DUCT KIT | #4042265 FOR QUEST 100

Supply and return duct kit.

COMPATIBLE PRODUCTS

- Quest 100 (PN 4041870)
- Quest 100 50 Hz (PN 4046590-XX)

[CALL FOR MORE INFO](#)



DEXTER PLATFORM

[Click for more info on Accessories & Filters](#)

HANG KIT | #4042835 FOR QUEST 100

Free up valuable floor space by suspending your dehumidifier above. Hanging your Quest 100 dehumidifier is made easy with the Quest 100 Hang Kit. Product material and design are subject to change.



COMPATIBLE PRODUCTS

- Quest 100 (PN 4042835)
- Quest 100 50 Hz (PN 4046590-XX)

[CALL FOR MORE INFO](#)

DEH 3000R CONTROL | #4028531 WALL MOUNTED WITH SENSOR

COMPATIBLE PRODUCTS

- | | |
|--|---|
| <ul style="list-style-type: none"> • Quest 70 (PN 4033750) • Quest 70 50 Hz (PN 4033810) • Quest 185 Cool (PN 4033180) • Quest 876 (PN 4037600) • Quest Dual 105 (PN 4032270) • Quest Dual 155 (PN 4031490) • Quest 155 115 V (PN 4046120) • Quest 200 50 Hz (PN 4046100-NC) • Quest 155 50 Hz (PN 4037400) • Quest Dual 205 (PN 4033060) • Quest 205 (PN 4046110) • Quest Dual 165 (PN 4037410) • Quest Dual 225 (PN 4035400) • Quest 225 208/230 V (PN4046100) | <ul style="list-style-type: none"> • Quest 225 208/230 V (PN 4042800) • Quest 335 208/230 V (PN 4042500) • Quest 335 208/230 V (PN 4046200) • Quest 335 277 V (PN 4042600) • Quest 335 277 V (PN 4046210) • Quest 375 50 Hz (PN 4046200-NC) • Quest 506 (PN 4036600) • Quest 506 277 V (PN 4036610) • Quest 506 277 V (PN 4046310) • Quest 506 208/230 V (PN 4046300) • Quest 746 480 V (Gen 2) (PN 4046320) • Quest 746 480 V (PN 4037610) • Quest 706 50 Hz (PN 4041800) |
|--|---|




[CALL FOR MORE INFO](#)

DEXTER PLATFORM

[Click for more info on Accessories & Filters](#)

HONEYWELL HUMIDIPRO | #4041649

The Honeywell HumidiPRO H6062 Digital Humidity Control offers precise humidity management.



COMPATIBLE PRODUCTS

- Quest 70
- Quest 100
- Quest 100 50 Hz
- Quest 155
- Quest 200 50 Hz
- Quest 205
- Quest 225 208/230 V
- Quest 335 277 V
- Quest 375 50 Hz
- Quest 506 208/230 V
- Quest 706 50 Hz
- Quest 746
- Quest 876

[CALL FOR MORE INFO](#)

CONDENSATE PUMP | #4022220 OVERCOMING GRAVITY

Humidity can happen anywhere—not just next to a floor drain. Gain flexibility in where you install your dehumidifier with the Therma-Stor condensate pump. Conveniently install the pump to remove your dehumidifier condensate. This pump can move water up to 12 feet vertically, and a total of 20 feet. (This pump features a 2 quart reservoir.) (*Current models do not utilize bracket.)



COMPATIBLE PRODUCTS

- Quest 70 (PN 4033750)
- Quest 100 (PN 4041870)
- Quest Dual 105 (PN 4032270)
- Quest Dual 110 (PN 4034220)
- Quest Dual 150 (PN 4034230)
- Quest 155 (PN 4046120)
- Quest Dual 155 (PN 4031490)
- Quest Dual 165 (PN 4037410)
- Quest 205 (PN 4046110)
- Quest Dual 205 (PN 4033060)
- Quest 225 208/230 V (PN 4046100)
- Quest 225 208/230 V (PN 4042800)
- Quest Dual 225 (PN 4035400)
- Quest 335 (PN 4042500)
- Quest 335 277 V (PN 4042600)
- Quest 506 (PN 4036600)
- Quest 506 277 V (PN 4036610)
- Quest 506 277 V (PN 4046310)
- Quest 506 208/230 V (PN 4046300)
- Quest 746 480 V (PN 4037610)
- Quest 876 (PN 4037600)

[CALL FOR MORE INFO](#)

LOKI PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST 155 | #4046120

HIGH-EFFICIENCY DEHUMIDIFIER

Engineered with Quest's patented M-CoRR Technology, the Quest 155 delivers superior performance and significantly lowers your utility costs, boasting an impressive efficiency rating of 8.5 pints/kWh at 80°F and 60% RH. Removing 155 pints of water per day at the same conditions, this unit can save you thousands in energy costs, per unit, every year compared to our competitors.



FEATURES

- **Plug-N-Play:** Utilizes a standard 120V outlet with easy digital controls
- **Patented M-CORR Technology:** No dehumidifier is more efficient
- **Lowest Operational Costs:** Higher efficiency equipment substantially lowers utility costs
- Compact Unit
- UL Rated and ETL Listed
- MERV 13 Filtration
- Widest Operating Range
- Auto Restart
- Digital Control
- Overhead or Ground Placement

SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 500
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 110 – 120 VAC, 1 Phase, 60 Hz
- **Unit Dimensions:** 26.8" L x 23.6" W x 20.9" H
- **Unit Weight:** 130 lb
- **Control Type:** Onboard digital controls with low voltage terminal block
- **Air Filter MERV Rating:** MERV 13
- **Air Filter Dimensions:** 18" x 18" x 2"
- **Power Cord / Plug:** 14/3, SJTW (9') / NEMA 5-15P
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 3 lb 0 oz
- **Drain Port Connection:** 3/4" Threaded NPT
- **Warranty:** 5 Year Limited

[CALL FOR MORE INFO](#)

LOKI PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST 155 | #4046120

HIGH-EFFICIENCY DEHUMIDIFIER

Engineered with Quest's patented M-CoRR Technology, the Quest 155 delivers superior performance and significantly lowers your utility costs, boasting an impressive efficiency rating of 8.5 pints/kWh at 80°F and 60% RH. Removing 155 pints of water per day at the same conditions, this unit can save you thousands in energy costs, per unit, every year compared to our competitors.



FEATURES

- **Plug-N-Play:** Utilizes a standard 120V outlet with easy digital controls
- **Patented M-CORR Technology:** No dehumidifier is more efficient
- **Lowest Operational Costs:** Higher efficiency equipment substantially lowers utility costs
- Compact Unit
- UL Rated and ETL Listed
- MERV 13 Filtration
- Widest Operating Range
- Auto Restart
- Digital Control
- Overhead or Ground Placement

SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 500
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 110 – 120 VAC, 1 Phase, 60 Hz
- **Unit Dimensions:** 26.8" L x 23.6" W x 20.9" H
- **Unit Weight:** 130 lb
- **Control Type:** Onboard digital controls with low voltage terminal block
- **Air Filter MERV Rating:** MERV 13
- **Air Filter Dimensions:** 18" x 18" x 2"
- **Power Cord / Plug:** 14/3, SJTW (9') / NEMA 5-15P
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 3 lb 0 oz
- **Drain Port Connection:** 3/4" Threaded NPT
- **Warranty:** 5 Year Limited

[CALL FOR MORE INFO](#)

LOKI PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST 205 | #4046110

HIGH-EFFICIENCY DEHUMIDIFIER

Little brother to the well-known Quest 225 and Quest 335, the Quest 205 is Quest's highest capacity 115V dehumidifier for use in a standard outlet. Using 10 amps, the Quest 205 removes 200 pints of water per day at 80 degrees Fahrenheit and 60% relative humidity, making it even more energy-efficient than its predecessor and its competitors.



FEATURES

- **High Efficiency:** No dehumidifier is more efficient of this capacity
- **Patented Multi-Coil Technology:** Achieves highest efficiencies available in the market
- **Onboard Dehumidistat:** Precise setpoints and a low voltage terminal block
- Plug-N-Play
- UL Rated and ETL Listed
- MERV 13 Filtration
- Widest Operating Range
- Auto Restart
- Long Power Cord
- Overhead or Ground Placement
- Digital Control
- Integrated Handles & Hanging Points

SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 575
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 110 – 120 VAC, 1 Phase, 60 Hz
- **Unit Dimensions:** 26.8" L x 23.6" W x 20.9" H
- **Unit Weight:** 130 lb
- **Control Type:** Onboard controls with low voltage terminal block
- **Air Filter MERV Rating:** MERV 13
- **Air Filter Dimensions:** 18" x 18" x 2"
- **Power Cord / Plug:** 9', NEMA 5-15P
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 3 lb 2 oz
- **Drain Port Connection:** 3/4" Threaded NPT
- **Warranty:** 5 Year Limited

[CALL FOR MORE INFO](#)



LOKI PLATFORM

[Click for more info on Accessories & Filters](#)

MERV 13 FILTER | #4042787

MERV-13 provides superior air filtration, 20% more effective than MERV-11 and 65% more effective than MERV-8.

COMPATIBLE PRODUCTS

- Quest 225 208/230 V (PN 4042800)
- Quest 225 208/230 V (PN 4046100)
- Quest 205 115 V (PN 4046110)
- Quest 200 50 Hz (PN 4046100-NC)
- Quest 155 115 V (PN 4046120)

SPECIFICATIONS

- Filter Type: MERV 13
- Size: 18" x 18" x 2"

[CALL FOR MORE INFO](#)




DUCT KIT | #4043235

FOR QUEST 225, 205, 200, 155 (M-CORR MODELS)

COMPATIBLE PRODUCTS

- Quest 225 208/230 V (PN 4042800)
- Quest 225 208/230 V (PN 4046100)
- Quest 205 115 V (PN 4046110)
- Quest 200 50 Hz (PN 4046100-NC)
- Quest 155 115 V (PN 4046120)

[CALL FOR MORE INFO](#)



LOKI PLATFORM

[Click for more info on Accessories & Filters](#)

DEH 3000R CONTROL | #4028531 WALL MOUNTED WITH SENSOR

COMPATIBLE PRODUCTS

- Quest 70 (PN 4033750)
- Quest 70 50 Hz (PN 4033810)
- Quest 185 Cool (PN 4033180)
- Quest 876 (PN 4037600)
- Quest Dual 105 (PN 4032270)
- Quest Dual 155 (PN 4031490)
- Quest 155 115 V (PN 4046120)
- Quest 200 50 Hz (PN 4046100-NC)
- Quest 155 50 Hz (PN 4037400)
- Quest Dual 205 (PN 4033060)
- Quest 205 (PN 4046110)
- Quest Dual 165 (PN 4037410)
- Quest Dual 225 (PN 4035400)
- Quest 225 208/230 V (PN4046100)
- Quest 225 208/230 V (PN 4042800)
- Quest 335 208/230 V (PN 4042500)
- Quest 335 208/230 V (PN 4046200)
- Quest 335 277 V (PN 4042600)
- Quest 335 277 V (PN 4046210)
- Quest 375 50 Hz (PN 4046200-NC)
- Quest 506 (PN 4036600)
- Quest 506 277 V (PN 4036610)
- Quest 506 277 V (PN 4046310)
- Quest 506 208/230 V (PN 4046300)
- Quest 746 480 V (Gen 2) (PN 4046320)
- Quest 746 480 V (PN 4037610)
- Quest 706 50 Hz (PN 4041800)



[CALL FOR MORE INFO](#)

HONEYWELL HUMIDIPRO | #4041649

The Honeywell HumidiPRO H6062 Digital Humidity Control offers precise humidity management.

COMPATIBLE PRODUCTS

- Quest 70
- Quest 100
- Quest 100 50 Hz
- Quest 155
- Quest 200 50 Hz
- Quest 205
- Quest 225 208/230 V
- Quest 335 277 V
- Quest 375 50 Hz
- Quest 506 208/230 V
- Quest 706 50 Hz
- Quest 746
- Quest 876

[CALL FOR MORE INFO](#)



LOKI PLATFORM

[Click for more info on Accessories & Filters](#)

CONDENSATE PUMP | #4022220 OVERCOMING GRAVITY

Humidity can happen anywhere—not just next to a floor drain. Gain flexibility in where you install your dehumidifier with the Therma-Stor condensate pump. Conveniently install the pump to remove your dehumidifier condensate. This pump can move water up to 12 feet vertically, and a total of 20 feet. (This pump features a 2 quart reservoir.) (*Current models do not utilize bracket.)



COMPATIBLE PRODUCTS

- Quest 70 (PN 4033750)
- Quest 100 (PN 4041870)
- Quest Dual 105 (PN 4032270)
- Quest Dual 110 (PN 4034220)
- Quest Dual 150 (PN 4034230)
- Quest 155 (PN 4046120)
- Quest Dual 155 (PN 4031490)
- Quest Dual 165 (PN 4037410)
- Quest 205 (PN 4046110)
- Quest Dual 205 (PN 4033060)
- Quest 225 208/230 V (PN 4046100)
- Quest 225 208/230 V (PN 4042800)
- Quest Dual 225 (PN 4035400)
- Quest 335 (PN 4042500)
- Quest 335 277 V (PN 4042600)
- Quest 506 (PN 4036600)
- Quest 506 277 V (PN 4036610)
- Quest 506 277 V (PN 4046310)
- Quest 506 208/230 V (PN 4046300)
- Quest 746 480 V (PN 4037610)
- Quest 876 (PN 4037600)

[CALL FOR MORE INFO](#)

RHINELANDER PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST 335, 208/230V | #4046200 HIGH-EFFICIENCY DEHUMIDIFIER

The Quest 335 208/230V dehumidifier is engineered specifically for commercial spaces facing a heavy moisture load, like indoor agriculture and water treatment facilities. At the core of Quest's 335 features are our sophisticated refrigeration system, M-CoRR Technology, and digital controls with the versatility to work with external controls.



FEATURES

- **Industry's Lowest AMP Draw:** More efficient units have less heat output and free up electricity for other equipment
- **Patented Multi-Coil Technology:** Achieves highest efficiencies available in the market
- **Superior MERV-13 Filtration:** 20% more effective in capturing harmful contaminants in the air than MERV-11 and 65% more effective than MERV-8
- UL Rated and ETL Listed
- Widest Operating Range
- Auto Restart
- Digital Control
- Overhead or Ground Placement
- Plug-N-Play
- High Efficiency
- Integrated Handles
- Long Power Cord
- Environmentally-Conscious Refrigerant

SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 900
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 208 – 230 VAC, 1 Phase, 60 Hz
- **Unit Dimensions:** 32.9" L x 24.6" W x 23.7" H
- **Unit Weight:** 215 lb
- **Control Type:** Onboard digital controls with low voltage terminal block
- **Air Filter MERV Rating:** MERV 13
- **Air Filter Dimensions:** 20" x 22" x 2"
- **Power Cord:** 14ga, NEMA 6-15P (6')
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 3 lb 8 oz
- **Drain Port Connection:** 3/4" Threaded NPT
- **Fans:** Variable speed EC Motor
- **Warranty:** 5 Year Limited

[CALL FOR MORE INFO](#)



RHINELANDER PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST 335, 277V | #4046210 HIGH-EFFICIENCY DEHUMIDIFIER

The Quest 335 277V dehumidifier offers the same quality and features as our original Quest 335 208/230V units but with 277V voltage for use in commercial and industrial facilities. The 277V unit is an excellent fit for grow rooms, many of which traditionally have 277V outlets already installed for lighting. As an added benefit, these higher voltage units use less amperage, freeing up electricity for other equipment in your facility.



FEATURES

- **Industry's Lowest AMP Draw:** More efficient units have less heat output and free up electricity for other equipment
- **Patented Multi-Coil Technology:** Achieves highest efficiencies available in the market
- **Industry-Leading MERV-13 Filtration:** Powerful air filtration, facilitating a cleaner, healthier environment without choking your machine
- UL Rated and ETL Listed
- Widest Operating Range
- Auto Restart
- Digital Control
- Overhead or Ground Placement
- Plug-N-Play
- High Efficiency
- Integrated Handles
- Long Power Cord
- Onboard Dehumidistat

SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 900
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 277 V
- **Unit Dimensions:** 32.9" L x 24.6" W x 23.7" H
- **Unit Weight:** 215 lb
- **Control Type:** Onboard digital controls with low voltage terminal block
- **Air Filter MERV Rating:** MERV 13
- **Air Filter Dimensions:** 20" x 22" x 2"
- **Power Cord:** NEMA L7-15P (6')
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 3 lb 8 oz
- **Drain Port Connection:** 3/4" Threaded NPT
- **Fans:** Variable speed EC Motor
- **Warranty:** 5 Year Limited

[CALL FOR MORE INFO](#)

RHINELANDER PLATFORM

[Click for more info on Accessories & Filters](#)

MERV 13 FILTER | #4042545-01

MERV-13 provides superior air filtration, 20% more effective than MERV-11 and 65% more effective than MERV-8.

COMPATIBLE PRODUCTS

- Quest 335 (PN 4042500)
- Quest 335 277 V (PN 4042600)
- Quest 375 50 Hz (PN 4042600-NC)

SPECIFICATIONS

- Filter Type: MERV 13
- Size: 20" x 22" x 2"

[CALL FOR MORE INFO](#)




DUCT KIT | #4042685 FOR QUEST 335 AND 375

COMPATIBLE PRODUCTS

- Quest 335 (PN 4042500)
- Quest 335 277 V (PN 4042600)
- Quest 375 50 Hz (PN 4042600-NC)

[CALL FOR MORE INFO](#)



RHINELANDER PLATFORM

[Click for more info on Accessories & Filters](#)

DEH 3000R CONTROL | #4028531 WALL MOUNTED WITH SENSOR

COMPATIBLE PRODUCTS

- Quest 70 (PN 4033750)
- Quest 70 50 Hz (PN 4033810)
- Quest 185 Cool (PN 4033180)
- Quest 876 (PN 4037600)
- Quest Dual 105 (PN 4032270)
- Quest Dual 155 (PN 4031490)
- Quest 155 115 V (PN 4046120)
- Quest 200 50 Hz (PN 4046100-NC)
- Quest 155 50 Hz (PN 4037400)
- Quest Dual 205 (PN 4033060)
- Quest 205 (PN 4046110)
- Quest Dual 165 (PN 4037410)
- Quest Dual 225 (PN 4035400)
- Quest 225 208/230 V (PN4046100)
- Quest 225 208/230 V (PN 4042800)
- Quest 335 208/230 V (PN 4042500)
- Quest 335 208/230 V (PN 4046200)
- Quest 335 277 V (PN 4042600)
- Quest 335 277 V (PN 4046210)
- Quest 375 50 Hz (PN 4046200-NC)
- Quest 506 (PN 4036600)
- Quest 506 277 V (PN 4036610)
- Quest 506 277 V (PN 4046310)
- Quest 506 208/230 V (PN 4046300)
- Quest 746 480 V (Gen 2) (PN 4046320)
- Quest 746 480 V (PN 4037610)
- Quest 706 50 Hz (PN 4041800)



[CALL FOR MORE INFO](#)

HONEYWELL HUMIDIPRO | #4041649

The Honeywell HumidiPRO H6062 Digital Humidity Control offers precise humidity management.

COMPATIBLE PRODUCTS

- Quest 70
- Quest 100
- Quest 100 50 Hz
- Quest 155
- Quest 200 50 Hz
- Quest 205
- Quest 225 208/230 V
- Quest 335 277 V
- Quest 375 50 Hz
- Quest 506 208/230 V
- Quest 706 50 Hz
- Quest 746
- Quest 876

[CALL FOR MORE INFO](#)



RHINELANDER PLATFORM

[Click for more info on Accessories & Filters](#)

CONDENSATE PUMP | #4022220 OVERCOMING GRAVITY

Humidity can happen anywhere—not just next to a floor drain. Gain flexibility in where you install your dehumidifier with the Therma-Stor condensate pump. Conveniently install the pump to remove your dehumidifier condensate. This pump can move water up to 12 feet vertically, and a total of 20 feet. (This pump features a 2 quart reservoir.) (*Current models do not utilize bracket.)



COMPATIBLE PRODUCTS

- Quest 70 (PN 4033750)
- Quest 100 (PN 4041870)
- Quest Dual 105 (PN 4032270)
- Quest Dual 110 (PN 4034220)
- Quest Dual 150 (PN 4034230)
- Quest 155 (PN 4046120)
- Quest Dual 155 (PN 4031490)
- Quest Dual 165 (PN 4037410)
- Quest 205 (PN 4046110)
- Quest Dual 205 (PN 4033060)
- Quest 225 208/230 V (PN 4046100)
- Quest 225 208/230 V (PN 4042800)
- Quest Dual 225 (PN 4035400)
- Quest 335 (PN 4042500)
- Quest 335 277 V (PN 4042600)
- Quest 506 (PN 4036600)
- Quest 506 277 V (PN 4036610)
- Quest 506 277 V (PN 4046310)
- Quest 506 208/230 V (PN 4046300)
- Quest 746 480 V (PN 4037610)
- Quest 876 (PN 4037600)

[CALL FOR MORE INFO](#)

ZUES PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST 506, 208/230V | #4046300 HIGH CAPACITY DEHUMIDIFIER

Taking innovation to the next level, the Quest 506 208/230V dehumidifier is the newest generation of the Quest “6-series” and surpasses the Quest 335 as the world’s most energy-efficient dehumidifier, removing 500 pints per day at an impressive 9.2 pints per kilowatt hour (at 80°F, 60% RH).



POWERED BY
M-CORR™
TECHNOLOGY

FEATURES

- **Widest Operating Range:** Industry's best performance at the widest temperature and dew point operating conditions
- **Patented Mult-Coil Technology:** Achieves highest efficiencies available in the market
- **Industry's Lowest AMP Draw:** More efficient units have less heat output and free up electricity for other equipment
- UL Rated and ETL Listed
- MERV 13 Filtration
- Auto Restart
- Digital Control
- Overhead or Ground Placement
- Integrated Handles and Hanging Points
- Environmentally-Conscious Refrigerant



SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 1,150 @ 0.0" WG
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 208 – 230 V
- **Unit Dimensions:** 44.8" L x 29" W x 27.4" H
- **Unit Weight:** 275 lb
- **Control Type:** Onboard digital controls with low voltage terminal block
- **Air Filter MERV Rating:** MERV 13
- **Air Filter Dimensions:** 18" x 20" x 2"
- **Power Cord / Plug:** 12/3, SJTW, 20A (6') / NEMA 6-20P
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 3 lb 14 oz
- **Drain Port Connection:** 3/4" Threaded NPT
- **Warranty:** 5 Year Limited

[CALL FOR MORE INFO](#)

ZUES PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST 506, 277V | #4046310 HIGH CAPACITY DEHUMIDIFIER

Taking innovation to the next level, we've improved on the design of the original Quest 506 277V dehumidifier. This newest generation of the 506 surpasses the Quest 335 as the world's most energy-efficient dehumidifier on the market, removing 500 pints per day at an impressive 9.2 pints per kilowatt hour (at 80°F, 60% RH).

Just like our original 506 design, the 500-pint capacity makes it one of the most powerful commercial dehumidifiers on the market. The 277V voltage provides a low amp draw, freeing up electricity for other equipment on your breaker. Best of all, these units can be installed on 277V without the additional installation of buck-boost transformers or the associated costs of rewiring.



POWERED BY
M-CORR™
TECHNOLOGY



FEATURES

- **Widest Operating Range:** Industry's best performance at the widest temperature and dew point operating conditions
- **Patented Mult-Coil Technology:** Achieves highest efficiencies available in the market
- **Onboard Digital Controls:** Digital control panel for easy and precise setpoints, with a low-voltage terminal block for use with an optional external controller
- UL Rated and ETL Listed
- MERV 13 Filtration
- Overhead or Ground Placement
- Integrated Handles and Hanging Points
- Environmentally-Conscious Refrigerant
- Long Power Cord
- Industry's lowest AMP Draw

SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 1,150 @ 0.0" WG
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 277 V
- **Unit Dimensions:** 44.8" L x 28.9" W x 27.4" H
- **Unit Weight:** 275 lb
- **Control Type:** Onboard digital controls with low voltage terminal block
- **Air Filter MERV Rating:** MERV 13
- **Air Filter Dimensions:** 18" x 20" x 2"
- **Power Cord / Plug:** NEMA L7-20P
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 3 lb 14 oz
- **Drain Port Connection:** 3/4" Threaded NPT
- **Warranty:** 5 Year Limited

[CALL FOR MORE INFO](#)



ZUES PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST 746, 480V | #4046320 HIGH CAPACITY DEHUMIDIFIER

The Quest 746 480V High-Efficiency Dehumidifier is the next generation of commercial and industrial dehumidification featuring Quest's patented M-CoRR™ Technology. This multi-coil design reuses energy during dehumidification allowing it to be the most energy-efficient 480-volt dehumidifier on the market. Engineered for large-scale environments, this high-capacity unit combines superior moisture removal, energy efficiency, and smart digital controls—all in a more compact design.

The Quest 746 480V uses less amperage at a higher voltage, freeing up space on your electrical panel for other equipment, a game-changer in controlled environments. With its reduced height, it fits where other industrial dehumidifiers can't, making it ideal for mechanical rooms, overhead installations, and space-limited facilities. Built for performance, it removes approximately 730 pints of moisture per day (80°F, 60% RH) with an industry-leading efficiency of 8.3 pints per kWh, helping facility managers lower operating costs without compromising climate control.



FEATURES

- **High Efficiency:** No dehumidifier is more efficient
- **Patented Multi-Coil Technology:** Achieves highest efficiencies available in the market
- **Industry's Lowest AMP Draw:** More efficient units have less heat output and free up electricity for other equipment
- UL Rated and ETL Listed
- MERV 13 Filtration
- Overhead or Ground Placement
- Integrated Handles and Hanging Points
- Environmentally-Conscious Refrigerant
- Widest Operating Range
- Auto Restart
- Onboard Digital Controls

SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 1,650
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 480 V, 3 Phase
- **Unit Dimensions:** 44.8" L x 28.9" W x 27.4" H
- **Unit Weight:** 300 lb
- **Control Type:** Onboard digital controls with optional external control connection
- **Air Filter MERV Rating:** MERV 13
- **Air Filter Dimensions:** 18" x 20" x 2"
- **Power Cord:** Hardwire only
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 6 lb 8 oz
- **Drain Port Connection:** 3/4" Threaded NPT
- **Warranty:** 5 Year Limited

[CALL FOR MORE INFO](#)

ZUES PLATFORM

[Click for more info on Accessories & Filters](#)

MERV 13 FILTER | #4038233

Superior MERV13 filtration removes more harmful contaminants from the air such as dust, pollen, mold, bacteria, and some viruses to prevent cross-contamination and unhealthy conditions. MERV13 filtration is 65% more effective in capturing dangerous particulates from the air than MERV-8, and still 20% more effective than MERV11 filters. The MERV-13 air filter for the Quest 506/700/746/876 dehumidifier is essential for keeping your air safer and the internal components of your machine cleaner for long-lasting performance. Requires two per unit.



COMPATIBLE PRODUCTS

- Quest 506 (PN 4036600)
- Quest 506 277 V (PN 4036610)
- Quest 506 277 V (PN 4046310)
- Quest 506 208/230 V (PN 4046300)
- Quest 706 50 Hz (PN 4041800)
- Quest 746 480 V (PN 4037610)
- Quest 746 480 V (PN 4046320)
- Quest 876 (PN 4037600)

SPECIFICATIONS

- Filter Type: MERV 13
- Size: 18" x 20" x 2"
- Requires: 2 per unit

[CALL FOR MORE INFO](#)

EXHAUST DUCT KIT | #4044431 FOR QUEST 6-SERIES (GEN 2)

COMPATIBLE PRODUCTS

- Quest 506 208/230 V (PN 4046300)
- Quest 506 277 V (PN 4046310)
- Quest 700 50 Hz (PN 4046320-XX)
- Quest 746 480 V (PN 4046320)

[CALL FOR MORE INFO](#)



ZUES PLATFORM

[Click for more info on Accessories & Filters](#)

INTAKE DUCT KIT | #4044432 FOR QUEST 6-SERIES (GEN 2)

Intake Duct Kit for 2nd generation Quest 6-series. (December 2024 Launch)

COMPATIBLE PRODUCTS

- Quest 506 208/230 V (PN 4046300)
- Quest 506 277 V (PN 4046310)
- Quest 700 50 Hz (PN 4046320-XX)
- Quest 746 480 V (PN 4046320)



[CALL FOR MORE INFO](#)

DEH 3000R CONTROL | #4028531 WALL MOUNTED WITH SENSOR

COMPATIBLE PRODUCTS

- | | |
|--|---|
| <ul style="list-style-type: none"> • Quest 70 (PN 4033750) • Quest 70 50 Hz (PN 4033810) • Quest 185 Cool (PN 4033180) • Quest 876 (PN 4037600) • Quest Dual 105 (PN 4032270) • Quest Dual 155 (PN 4031490) • Quest 155 115 V (PN 4046120) • Quest 200 50 Hz (PN 4046100-NC) • Quest 155 50 Hz (PN 4037400) • Quest Dual 205 (PN 4033060) • Quest 205 (PN 4046110) • Quest Dual 165 (PN 4037410) • Quest Dual 225 (PN 4035400) • Quest 225 208/230 V (PN4046100) | <ul style="list-style-type: none"> • Quest 225 208/230 V (PN 4042800) • Quest 335 208/230 V (PN 4042500) • Quest 335 208/230 V (PN 4046200) • Quest 335 277 V (PN 4042600) • Quest 335 277 V (PN 4046210) • Quest 375 50 Hz (PN 4046200-NC) • Quest 506 (PN 4036600) • Quest 506 277 V (PN 4036610) • Quest 506 277 V (PN 4046310) • Quest 506 208/230 V (PN 4046300) • Quest 746 480 V (Gen 2) (PN 4046320) • Quest 746 480 V (PN 4037610) • Quest 706 50 Hz (PN 4041800) |
|--|---|




[CALL FOR MORE INFO](#)

ZUES PLATFORM

[Click for more info on Accessories & Filters](#)

HONEYWELL HUMIDIPRO | #4041649

The Honeywell HumidiPRO H6062 Digital Humidity Control offers precise humidity management.



COMPATIBLE PRODUCTS

- Quest 70
- Quest 100
- Quest 100 50 Hz
- Quest 155
- Quest 200 50 Hz
- Quest 205
- Quest 225 208/230 V
- Quest 335 277 V
- Quest 375 50 Hz
- Quest 506 208/230 V
- Quest 706 50 Hz
- Quest 746
- Quest 876

[CALL FOR MORE INFO](#)

CONDENSATE PUMP | #4022220 OVERCOMING GRAVITY

Humidity can happen anywhere—not just next to a floor drain. Gain flexibility in where you install your dehumidifier with the Therma-Stor condensate pump. Conveniently install the pump to remove your dehumidifier condensate. This pump can move water up to 12 feet vertically, and a total of 20 feet. (This pump features a 2 quart reservoir.) (*Current models do not utilize bracket.)



COMPATIBLE PRODUCTS

- Quest 70 (PN 4033750)
- Quest 100 (PN 4041870)
- Quest Dual 105 (PN 4032270)
- Quest Dual 110 (PN 4034220)
- Quest Dual 150 (PN 4034230)
- Quest 155 (PN 4046120)
- Quest Dual 155 (PN 4031490)
- Quest Dual 165 (PN 4037410)
- Quest 205 (PN 4046110)
- Quest Dual 205 (PN 4033060)
- Quest 225 208/230 V (PN 4046100)
- Quest 225 208/230 V (PN 4042800)
- Quest Dual 225 (PN 4035400)
- Quest 335 (PN 4042500)
- Quest 335 277 V (PN 4042600)
- Quest 506 (PN 4036600)
- Quest 506 277 V (PN 4036610)
- Quest 506 277 V (PN 4046310)
- Quest 506 208/230 V (PN 4046300)
- Quest 746 480 V (PN 4037610)
- Quest 876 (PN 4037600)

[CALL FOR MORE INFO](#)

PORTABLE PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST HI-E DRY 195 | #4046400 PORTABLE DEHUMIDIFIER

The Quest Hi-E DRY 195 is a portable dehumidifier offering the flexibility you need in an economical package.

The Hi-E DRY 195 was designed for areas demanding higher-capacity equipment to help eliminate condensation, leading to safety hazards, such as wet floors, mold, and mildew. The Hi-E Dry 195 is controlled by an onboard digital dehumidistat adjustable from 20 to 80% RH, along with positive “On” and “Off” settings.

Boasting an internal condensate pump, the Quest Hi-E Dry 195 provides the needed flexibility to move water without a nearby drain. The pump is capable of lifting and moving the condensate up to 17 feet vertically, over a 30-foot distance via the attached condensate hose.

FEATURES

- **Internal Condensate Pump:** With detachable hose
- **Movable Compact Unit:** Integrated handles for mobility and a small footprint that won't interfere with operations
- **Onboard Dehumidistat:** For easy control
- Plug-N-Play
- UL Rated and ETL Listed
- MERV 11 Filtration
- Widest Operating Range
- Auto Restart
- Industry's Lowest AMP Draw
- Long Power Cord
- Environmentally-Conscious Refrigerant

SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 610
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 110 – 120 VAC, 1 Phase, 60 Hz
- **Unit Dimensions:** 19" L x 20" W x 42" H
- **Unit Weight:** 130 lb
- **Control Type:** Onboard controls
- **Air Filter MERV Rating:** MERV 11
- **Air Filter Dimensions:** 16" x 20" x 2"
- **Power Cord:** 14ga, NEMA 5-20P (10')
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 1 lb 12 oz
- **Drain Hose Dimensions:** 1/4" ID x 33'
- **Warranty:** 5 Year Limited

[CALL FOR MORE INFO](#)



PORTABLE PLATFORM

[Click for more info on Accessories & Filters](#)

MERV 11 STANDARD PLEAT FILTER | #4021475-01

COMPATIBLE PRODUCTS

- Quest Dual 105 (PN 4032270)
- Quest Dual 155 (PN 4031490)
- Quest Dual 165 (PN 4037410)
- Quest Dual 205 (PN 4033060)
- Quest Dual 225 (PN 4035400)
- Quest Hi-E Dry 120 (PN 4036730)
- Quest Hi-E Dry 195 (PN 4036710)

SPECIFICATIONS

- Filter Type: MERV 11, Standard Pleat
- Size: 16" x 20" x 2"

[CALL FOR MORE INFO](#)



MUFFLER KIT | #4039075 FOR HI-E DRY 195

The Muffler Kit (Hi-E 195) is designed to reduce noise from the Quest Hi-E 195 Dehumidifier, ensuring quieter operation without compromising performance.

COMPATIBLE PRODUCTS

- Quest Hi-E Dry 195 (PN 4036710)

[CALL FOR MORE INFO](#)



DUCT KIT | #4039075 FOR HI-E DRY 195

Includes 10" Round Supply Collar (1), 12" Round Return Collar (1), and Block off plate.

COMPATIBLE PRODUCTS

- Quest Hi-E Dry 120 (PN 4036730)
- Quest Hi-E Dry 195 (PN 4036710)

[CALL FOR MORE INFO](#)



PORTABLE PLATFORM

[Click for more info on Dehumidifiers](#)

QUEST HI-E DRY 140 | #4045100-30 PORTABLE DEHUMIDIFIER

Eliminate mold and mildew, combat rust and corrosion, and increase drying and curing times with Quest's newest HI-E DRY portable dehumidifier—the next evolution in high-efficiency, mobile moisture removal. Designed for maximum portability, this rugged, efficient dehumidifier doesn't just perform—it moves with purpose.

Featuring 12-inch recessed wheels and a dual-position extended handle that doubles as a dolly for your F9 and F10 air movers, the HI-E Dry 140 is engineered to handle stairs and uneven surfaces with ease.

Removing 135 pints of moisture per day and an impressive 7.2 pints per kilowatt hour (@ 80 F / 60% RH conditions) this energy-efficient portable dehumidifier features a digital onboard humidistat, an internal condensate pump for up to 20 feet of easy water transport, and an extended length 25-foot power cord with mobility in mind.



FEATURES

- **Internal Condensate Pump:** With detachable hose
- **Movable Compact Unit:** Integrated handles for mobility and a small footprint that won't interfere with operations
- **Patented Multi-Coil Technology:** Achieves highest efficiencies available in the market
- Plug-N-Play
- UL Rated and ETL Listed
- Widest Operating Range
- Auto Restart
- Industry's Lowest AMP Draw
- High Efficiency
- Onboard Digital Controls



SPECIFICATIONS

- **Dehumidifier Type:** Refrigerant Dehumidifier
- **CFM:** 300
- **Operating Temperature:** 56°F min – 95°F max
- **Supply Voltage:** 110 – 120 VAC, 1 Phase, 60 Hz
- **Unit Dimensions:** 20" L x 24.5" W x 18" H
- **Unit Weight:** 85 lb
- **Control Type:** Onboard digital controls
- **Air Filter MERV Rating:** MERV 10
- **Air Filter Dimensions:** 12" x 14" x 1"
- **Power Cord:** 14ga, NEMA 5-15P (25')
- **Refrigerant Type:** R454b
- **Refrigerant Amount:** 1 lb 3 oz
- **Drain Port Connection:** 3/8" Push to Connect
- **Warranty:** 5 Year

[CALL FOR MORE INFO](#)

PORTABLE PLATFORM

[Click for more info on Accessories & Filters](#)

MERV 10 AIR FILTER | #4038558

COMPATIBLE PRODUCTS

- Quest Hi-E Dry 140 (PN 4045100-30)

[CALL FOR MORE INFO](#)



AIR MOVER

[Click for more info on the F10 Air Mover](#)

F10 AIR MOVER | #4042250-06

FAN SERIES, HIGHEST EFFICIENCY AIR MOVER

Say goodbye to stagnant, damp air that invites molds, fungus, and unwanted pests. Ensure optimal airflow and elevate your dehumidifier's performance with the help of the NEW Quest F10 Dual-Axial Air Mover. Engineered as two fans in one, with less power draw than its predecessor.



[CALL FOR MORE INFO](#)

FEATURES

- **High Velocity Air Flow:** 1,015 CFM high velocity air flow thanks to our dual axial design
- **Daisy-Chainable:** Daisy-chain and synchronize up to 10 Quest F10 fans on the same 15-AMP circuit
- **Compact Unit:** For mobility and a small footprint that won't interfere with operations
- Horizontal and Vertical Stacking
- Low Power Usage
- Cord Wrap
- Multiple Configurations
- Daisy-Chainable

SPECIFICATIONS

- **CFM:** 1,015
- **Recommended Breaker Size:** 10 per 15-AMP breaker
- **Supply Voltage:** 110 – 120 V, 60 Hz
- **Unit Dimensions:** 21" L x 8.3" W x 9.4" H
- **Unit Weight:** 16 lb
- **Fans:** Dual Axial
- **Warranty:** 1 Year




Order Online

PreSeason wishlist available on SingleSource®

- 24/7 access to product information
- Real-time inventory and pricing
- Place orders anytime, anywhere

Get started in 3 simple steps!

1. Download our new App
2. Login to your SingleSource® account or request an account from home screen
3. Start placing orders online



DOWNLOAD THE APP



What can SingleSource® do for you?

24/7 ACCESS

- Place orders anytime, anywhere
- Check local inventory and pricing without making a phone call
- Never wait on hold

PRODUCT DATA

- Fast and easy product look-up
- Access product manuals, replacement part lists, and technical specifications
- Search all parts, supplies and equipment with ease

JOB COSTING

- Attach purchase order numbers to web orders and keep your jobs organized under your account
- Create new wishlists for items you order all the time
- Upload your orders as spreadsheets
- Search order history fast and easy

MOBILE ACCESS

- Built for desktop, mobile and tablet compatibility
- Optimized for any device to drive your business on the go
- Search local inventory based on your geolocation

RELIABILITY & CONTROL

- Tested to enhance your business work-flow
- Create admin accounts for your employees based on their role and control their individual access

LOGISTICS

- Know what you're getting, where it's coming from, and when you'll get it
- See product availability at all Mingledorff's locations
- Avoid shipping fees with in-store pickup options or request delivery during checkout

41 LOCATIONS THROUGHOUT THE SOUTHEAST TO SERVE YOU

Pricing, availability and product information available 24/7 at singlesource.mingledorffs.com.

Location	Phone	Address
Albany	(229) 432-5254	205 Baldwin Dr. Albany, GA 31707
Anniston	(256) 241-3026	105 E. D St. Anniston, AL 36201
Athens	(706) 548-4019	105 Whitetail Way Bogart, GA 30622
Atlanta	(404) 875-7755	1290 Tacoma Dr. Atlanta, GA 30318
Auburn	(334) 734-8011	2295 1st Ave. Opelika, AL 36801
Augusta	(706) 651-1950	3618 Wrightsboro Rd. Augusta, GA 30909
Birmingham	(205) 250-7714	516A 31st St. N Birmingham, AL 35203
Braselton – MEC	(770) 967-3263	5456 Dalton Ct. Braselton, GA 30517
Brunswick	(912) 265-5193	275 Rose Dr. Brunswick, GA 31520
Columbus	(706) 322-3870	6201 West Hamilton Park Dr. Columbus, GA 31909
Conyers	(770) 918-9132	335 Gee's Mill Business Pkwy. Conyers, GA 30013
Cumming – MEC	(770) 781-5533	2570 Business Dr. Cumming, GA 30040
Dothan	(334) 836-1035	205 Wedgewood Dr. Dothan, AL 36303
Forest Park	(404) 361-2474	5158 Kennedy Rd. Suite B&C Forest Park, GA 30297
Fort Walton	(850) 244-2017	76 Beal Pkwy. SW Ft. Walton Beach, FL 32548
Gainesville	(770) 297-9335	2472 Hilton Dr. Gainesville, GA 30501
Gulf Shores	(251) 968-2660	820 Commerce Dr. Gulf Shores, AL 36542
Hardeeville	(843) 867-2143	132 Red Oaks Way Ridgeland, SC 29936
Hattiesburg	(601) 579-9670	1851 Lincoln Rd. Hattiesburg, MS 39402
Hilton Head	(843) 689-3404	21-A Hunter Rd. Hilton Head, SC 29926
Huntsville	(256) 859-2691	391 Nick Fitchheard Rd. Huntsville, AL 35806
Lawrenceville	(678) 442-1060	2111 Cedar Rd. Bldg. A Lawrenceville, GA 30043

Location	Phone	Address
Lawrenceville – MEC	(770) 963-6226	111-B Tanner St. Lawrenceville, GA 30046
Lithia Springs	(770) 948-3451	320 Thorton Rd. #106 Lithia Springs, GA 30122
Loxley	(251) 964-2707	30020 County Rd. 49 Loxley, AL 36551
Macon	(478) 474-8544	5527 Thomaston Rd. Macon, GA 31220
Marietta	(770) 426-0551	1060-D Triad Ct. Marietta, GA 30062
Marietta – MEC	(678) 354-1174	1050 Industrial Park Dr. Suite A Marietta, GA 30062
Mobile	(251) 476-6285	5522 W Commerce Blvd. Mobile, AL 36619
Montgomery	(334) 262-4855	861 Plantation Way, Bldg A Montgomery, AL 36117
Muscle Shoals	(256) 383-6904	107 Commerce St. Muscle Shoals, AL 35661
Newnan	(770) 239-2105	70 Enterprise Ct. Newnan, GA 30265
Ocean Springs	(228) 497-5090	5717 Suntech Dr. Sunplex Ind. Park Ocean Springs, MS 39564
Panama City	(850) 913-0585	800 W 13th St. Panama City, FL 32401
Peachtree Corners	(770) 239-2100	6675 Jones Mill Ct. Peachtree Corners, GA 30092
Pensacola	(850) 438-1005	4405 North Palafox St. Pensacola, FL 32505
Savannah	(912) 232-1228	103 Central Junction Blvd. Savannah, GA 31405
Statesboro	(912) 764-8841	251 West Parrish St. Statesboro, GA 30458
Tuscaloosa	(205) 632-7176	5030 Old Montgomery Hwy Tuscaloosa, AL 35405
Valdosta	(229) 245-8200	363 Connell Rd. Valdosta, GA 31602
Warner Robins	(478) 953-3727	110 Byrd Way Warner Robins, GA 31088

©2026 Mingledorff's, Inc. All rights reserved. | REV: 01072026

All information provided in this catalog is for informational purposes only and is subject to change without notice. While we strive for accuracy, we do not guarantee the completeness, reliability, or currentness of the content. Product dimensions and technical data should be verified with the manufacturer or sales team prior to ordering.